

TEXWRAP[®]

Kayat SRX Series

SINGLE ROLL BUNDLERS

R&E

KAYAT SRX SERIES

SINGLE ROLL BUNDLERS

Incorporates multiple features that reduce maintenance and improve ease of use.

The Kayat SRX Series platform is a continuous motion single roll bundler that can be configured to shrink bundle loose or trayed product. It creates shrink bundled bullseye packages by wrapping the product in clear or printed film. The SRX uses bottom overlap technology for strong seals and the ability to showcase printed film graphics.

Designed to handle a wide variety of packaged food and beverage products, the SRX Series uses a single roll of clear or printed film with speeds up to 60 cycles per minute. The SRX series has a robust, industrial design and provides easy access for operation and maintenance.

WHY TEXWRAP?

Texwrap incorporated features in the SRX Series that addressed customer needs including an easy-to-adjust wrap zone, superior sealing and control, adjustable airflow, easy maintenance, reduced changeover time, and more.

All Texwrap machines are designed, fabricated and built to last for years providing the absolute lowest Total Cost of Ownership in the industry.



SRX-CTF
Trayed Product Shrink Bundling

SRX-CUF
Loose Product Shrink Bundling

SRX SERIES FEATURES



TOOLLESS ADJUSTABLE WRAP BAR ASSEMBLY

Easily adjust wrap zone for package height with no change parts.



EASY MAINTENANCE ACCESS

Film feed and cut assembly slides out for easy maintenance.



STATE-OF-THE-ART AIRFLOW CONTROL

Easily adjust airflow to create the most appealing appearance on the end product.



DUAL ROLL FILM MANDRELS

Minimize changeover time and reduce packaging downtime.




INTUITIVE HMI CONTROLS

Updated controls package including predictive maintenance flags for common wear parts.




Made in the U.S.A. quality and customer support along with our industry leading 10-Year Built-Better Backed-Better Warranty ensure the Lowest Total Cost of Ownership in the Industry.

SRX SERIES TYPICAL MACHINE LAYOUT



SRX-CUF



TYPICAL PRODUCT SPECIFICATIONS

SRX SERIES SINGLE ROLL BUNDLER	
Minimum Package Size Both Height & Width cannot be at maximum dimension	3" Height 6" Width (Across the Machine) 5" Length (Direction of Flow)
Maximum Package Size Both Height & Width cannot be at maximum dimension	12" Height 20" Width (Across the Machine) 12" Length (Direction of Flow)
Film Width	Maximum: 30" Width
Film Diameter	Maximum: 20" Diameter
Film Types	Clear, Print-Registered
Construction	Heavy-duty welded tubular steel standard; optional corrosion resistant design for wipe down environments
Orientation	Right or Left-hand configuration available
Country of Origin	Designed and manufactured in the USA



USA

525 Vossbrink Dr.

Washington, Missouri 63090

P: 636-239-7424

TOLL FREE: 800-886-7421

E: Texwrap@ProMachBuilt.com

W: Texwrap.com

